



HDPE FITTINGS



Compression Coupling

PN Rating:
PN16
Size range from:
16mm – 110mm



Compression Elbow 90°

PN Rating:
PN16
Size range from:
16mm – 110mm



Compression Tee

PN Rating:
PN16
Size range from:
16mm – 110mm



Compression End Plug

PN Rating:
PN16
Size range from:
16mm – 110mm



Compression Reducing Coupling

PN Rating:
PN16
Size range from:
16mm – 110mm



Compression Reducing Tee

PN Rating: PN16
Size range from:
25 x 20mm | 32 x 25mm
40 x 32mm | 50 x 40mm
63 x 50mm | 75 x 63mm
90 x 75mm | 110 x 90mm



Compression Female Tee

PN rating: PN16
Sizes range from:
20mm – 110mm up to 4"



Compression Female Tee

PN rating: PN16
Sizes range from:
20mm – 110mm up to 4"



Compression Male Adaptor

PN rating: PN16
Sizes range from:
20mm – 110mm up to 4"



Compression Female Adaptor

PN rating: PN16
 Sizes range from:
 20mm – 110mm up to 4"



Compression Female Elbow 90°

PN rating: PN16
 Sizes range from:
 20mm – 110mm up to 4"



Compression Male Elbow 90°

PN rating: PN16
 Sizes range from:
 20mm – 110mm up to 4"



Reinforced Saddle

PN rating: PN16
 Sizes range from:
 110mm x 2"
 160mm x 3/4"
 160mm x 1"
 160mm x 1 1/4"
 160mm x 1 1/2"
 160mm x 2"
 200mm x 3/4"
 200mm x 1"
 200mm x 1 1/4"
 200mm x 1 1/2"
 200mm x 2"



Unreinforced Saddle

PN rating: PN16
 Sizes range from:
 25mm x 1/2"
 25mm x 3/4"
 32mm x 1/2"
 32mm x 1"
 40mm x 1/2"
 50mm x 1/2"
 50mm x 3/4"
 50mm x 1"
 63mm x 1/2"
 63mm x 3/4"
 63mm x 1"
 63mm x 1 1/4"



Compression Flanged Adaptor

PN rating: PN16
 Sizes range from:
 50mm x 2" | 63mm x 2"
 90mm x 4" | 110mm x 4"