



# HDPE FITTINGS



HDPE STUBS

Sizes from:  
16mm -1000mm  
PN Ratings from  
PN4-PN25



HDPE Galvanised Flanges

Ranging from:  
T/D, T1000/3, T1600/3,  
T2500/3  
Sizes from 16mm – 1000mm



HDPE Concentric & Eccentric Reducer

Ranges from  
16mm -1000mm



HDPE Equal Tee

Sizes range from:  
50mm – 800mm  
PN ratings from  
PN10 – PN25



HDPE Laterals

Size Ranges:  
50mm – 800mm  
PN Ratings from:  
PN10 – PN25



HDPE Cross

Size Ranges:  
50mm – 800mm  
PN Ratings From:  
PN10 – PN25



HDPE Reducing Cross

Size Ranges:  
50mm – 800mm  
PN Ratings From:  
PN10 – PN25



HDPE Seamless Bends

Size Ranges:  
50mm – 800mm  
PN Ratings From:  
PN10 – PN25  
All degrees available



HDPE Segmented Bends

Size Ranges:  
50mm – 800mm  
PN Ratings From:  
PN10 – PN25  
All degrees available



Saddle Fusion Tees

PN ratings from  
 PN10 – PN25  
 Sizes range from:  
 250mm – 110 - 63  
 280mm – 110 – 63  
 315mm – 110 – 63  
 355mm – 110 – 63  
 400mm – 110 – 63  
 450mm – 110 – 63  
 500mm – 110 – 63  
 560mm – 110 – 63  
 630mm – 110 – 63  
 710mm – 110 – 63  
 800mm – 110 – 63  
 900mm – 110 – 63  
 1000mm – 110 - 63



Reducing Tees

PN ratings from  
 PN10 – PN25  
 Sizes range from:  
 50mm – 1000mm